ELSEVIER

Journal of Affective Disorders 50 (1998) 299–301

JOURNAL OF AFFECTIVE DISORDERS

Author index

Agargün, M.Y., Algün, E., Şekeroğlu, R., Kara, H. and Tarakçioğlu, M.
Low cholesterol level in patients with panic disorder: the association with major depression (50) 29
Aizenberg, D., see Zemishlany, Z. (50) 3
Akiskal, H., see Winokur, G. (50) 81
Akiskal, H.S., see Hantouche, E.G. (50) 163
Akiskal, H.S., Hantouche, E.G., Bourgeois, M.L., Azorin, J.-M., Sechter, D., Allilaire, J.-F., Lancrenon, S., Fraud, J.-P. and Châtenet-Duchêne, L.
Gender, temperament, and the clinical picture in dysphoric mixed mania: findings from a French national study (EPI-MAN) (50) 175
Akiskal, H.S., see Judd, L.L. (50) 97
Akiskal, H.S., see Kato, T. (50) 135
Akiskal, H.S., see Perretta, P. (50) 215
Alda, M., see Duffy, A. (50) 91
Algün, E., see Agargün, M.Y. (50) 29
Allilaire, J.-F., see Akiskal, H.S. (50) 175
Allilaire, J.-F., see Hantouche, E.G. (50) 163
Altman, E.
Rating scales for mania: is self-rating reliable? (50) 283
Angst, J.
The emerging epidemiology of hypomania and bipolar II disorder (50) 143
Appleby, L., see Hawton, K. (50) 269
Aronson, M., see Zemishlany, Z. (50) 3
Azorin, J.-M., see Akiskal, H.S. (50) 175
Azorin, J.-M., see Hantouche, E.G. (50) 163

Ballesteros, J., see Gonzalez-Pinto, A. (50) 41
Barsanti, A., see Marazziti, D. (50) 11
Beckmann, H., see Pfuhlmann, B. (50) 125
Berrettini, W.
Progress and pitfalls: bipolar molecular linkage studies (50) 287
Black, D.W.
Iowa record-linkage study: death rates in psychiatric patients (50) 277
Bourgeois, M., see Hantouche, E.G. (50) 163
Bourgeois, M.L., see Akiskal, H.S. (50) 175

Carmody, T.J., see Jenkins, C. (50) 17
Carrai, M., see Marazziti, D. (50) 11
Carroll, B.J., see Cassidy, F. (50) 187
Cassano, G., see Marazziti, D. (50) 11
Cassano, G.B., see Perretta, P. (50) 215
Cassidy, F., Murry, E., Forest, K. and Carroll, B.J.
Signs and symptoms of mania in pure and mixed episodes (50) 187
Châtenet-Duchêne, L., see Hantouche, E.G. (50) 163
Châtenet-Duchêne, L., see Akiskal, H.S. (50) 175
Cho, D.Y., see Lyoo, I.K. (50) 235
Clayton, P.J.
George Winokur: a personal memoir (50) 77
Cooper, J., see Hawton, K. (50) 269
Coppen, A. and Farmer, R.
Suicide mortality in patients on lithium maintenance therapy (50) 261
Coryell, W., see Judd, L.L. (50) 97
Coryell, W., see Kato, T. (50) 135
Coryell, W., Turvey, C., Endicott, J., Leon, A.C., Mueller, T., Solomon, D. and Keller, M.
Bipolar I affective disorder: predictors of outcome after 15 years (50) 109
Coryell, W., see Winokur, G. (50) 81

DeAntonio, M., see Strober, M. (50) 55
de Leon, J., see Gonzalez-Pinto, A. (50) 41
Della Santa, M., see Perretta, P. (50) 215
Duffy, A., Grof, P., Grof, E., Zvolsky, P. and Alda, M.
Evidence supporting the independent inheritance of primary affective disorders and primary alcoholism in the families of bipolar patients (50) 91

Edwards, S. and Uhlenhuth, E.H.
Panic disorder and agoraphobia: a sufferer's perspective (50) 65
Endicott, J., see Coryell, W. (50) 109
Endicott, J., see Judd, L.L. (50) 97
Endicott, J., see Kato, T. (50) 135
Endicott, J., see Winokur, G. (50) 81
Ezcurra, J., see Gonzalez-Pinto, A. (50) 41

Farmer, R., see Coppen, A. (50) 261
Figuerido, J.L., see Gonzalez-Pinto, A. (50) 41
Forest, K., see Cassidy, F. (50) 187
Foster, T., see Hawton, K. (50) 269

S0165-0327(98)00164-5

Franzek, E., see Pfuhlmann, B. (50) 125
Fraud, J.-P., see Akiskal, H.S. (50) 175
Fraud, J.-P., see Hantouche, E.G. (50) 163
Füredi, J., see Szádóczky, E. (50) 153

Gangadhar, B.N., see Naga Venkatesha Murthy, P.J. (50) 45
Gendron, M., see Ghadirian, A.-M. (50) 23
Ghadirian, A.-M., Murphy, B.E.P. and Gendron, M.
Efficacy of light versus tryptophan therapy in seasonal affective disorder (50) 23
Giannaccini, G., see Marazziti, D. (50) 11
Gonzalez-Pinto, A., Gutierrez, M., Mosquera, F., Ballesteros, J., Lopez, P., Ezcurra, J., Figuerido, J.L. and de Leon, J.
First episode in bipolar disorder: misdiagnosis and psychotic symptoms (50) 41
Grof, E., see Duffy, A. (50) 91
Grof, P., see Duffy, A. (50) 91
Gutierrez, M., see Gonzalez-Pinto, A. (50) 41

Hakko, H., Räsänen, P. and Tiihonen, J.
Secular trends in the rates and seasonality of violent and nonviolent suicide occurrences in Finland during 1980–95 (50) 49
Han, M.H., see Lyoo, I.K. (50) 235
Hantouche, E.G., Akiskal, H.S., Lancrenon, S., Allilaire, J.-F., Sechter, D., Azorin, J.-M., Bourgeois, M., Fraud, J.-P. and Châtenet-Duchêne, L.
Systematic clinical methodology for validating bipolar-II disorder: data in mid-stream from a French national multi-site study (EPIDEP) (50) 163
Hantouche, E.G., see Akiskal, H.S. (50) 175
Hawton, K., Appleby, L., Platt, S., Foster, T., Cooper, J., Malmberg, A. and Simkin, S.
The psychological autopsy approach to studying suicide: a review of methodological issues (50) 269
Himmelhoch, J.M.
Social anxiety, hypomania and the bipolar spectrum: data, theory and clinical issues (50) 203
Hodges, S. and Marks, M.
Cognitive characteristics of seasonal affective disorder: A preliminary investigation (50) 59

Janakiramaiah, N., see Naga Venkatesha Murthy, P.J. (50) 45
Jenkins, C., Carmody, T.J. and Rush, A.J.
Depression in radiation oncology patients: a preliminary evaluation (50) 17
Judd, L.L., Akiskal, H.S., Maser, J.D., Zeller, P.J., Endicott, J., Coryell, W., Paulus, M.P., Kunovac, J.L., Leon, A.C., Mueller, T.I., Rice, J.A. and Keller, M.B.
Major depressive disorder: A prospective study of residual subthreshold depressive symptoms as predictor of rapid relapse (50) 97

Kara, H., see Agargün, M.Y. (50) 29
Kato, T., Winokur, G., Coryell, W., Rice, J., Endicott, J., Keller, M.B. and Akiskal, H.S.
Failure to demonstrate parent-of-origin effect in transmission of bipolar II disorder (50) 135
Keller, M., see Coryell, W. (50) 109
Keller, M., see Winokur, G. (50) 81
Keller, M.B., see Judd, L.L. (50) 97
Keller, M.B., see Kato, T. (50) 135
Kinney, D.K., Yurgelun-Todd, D.A., Tohen, M. and Tramer, S.
Pre- and perinatal complications and risk for bipolar disorder: a retrospective study (50) 117
Kirov, G.
Thyroid disorders in lithium-treated patients (50) 33
Klaukka, T., see Ohberg, A. (50) 225
Klein, C., see Zemishlany, Z. (50) 3
Kunovac, J.L., see Judd, L.L. (50) 97

Lancrenon, S., see Akiskal, H.S. (50) 175
Lancrenon, S., see Hantouche, E.G. (50) 163
Leon, A., see Winokur, G. (50) 81
Leon, A.C., see Coryell, W. (50) 109
Leon, A.C., see Judd, L.L. (50) 97
Lonnqvist, J., see Ohberg, A. (50) 225
Lopez, P., see Gonzalez-Pinto, A. (50) 41
Lorenzetti, C., see Perretta, P. (50) 215
Lucacchini, A., see Marazziti, D. (50) 11
Lyoo, I.K., Han, M.H. and Cho, D.Y.
A brain MRI study in subjects with borderline personality disorder (50) 235

Malmberg, A., see Hawton, K. (50) 269
Marazziti, D., Rossi, A., Palego, L., Barsanti, A., Carrai, M., Giannaccini, G., Serra, P., Lucacchini, A. and Cassano, G.
Effect of aging and sex on the [^{3}H]-paroxetine binding to human platelets (50) 11
Marcotte, D.
Use of topiramate, a new anti-epileptic as a mood stabilizer (50) 245
Marks, M., see Hodges, S. (50) 59
Maser, J., see Winokur, G. (50) 81
Maser, J.D., see Judd, L.L. (50) 97
Modai, I., see Zemishlany, Z. (50) 3
Mosquera, F., see Gonzalez-Pinto, A. (50) 41
Mueller, T., see Coryell, W. (50) 109
Mueller, T., see Winokur, G. (50) 81
Mueller, T.I., see Judd, L.L. (50) 97
Murphy, B.E.P., see Ghadirian, A.-M. (50) 23
Murry, E., see Cassidy, F. (50) 187

Naga Venkatesha Murthy, P.J., Janakiramaiah, N., Gangadhar, B.N. and Subbakrishna, D.K.
P300 amplitude and antidepressant response to Sudarshan Kriya Yoga (SKY) (50) 45
Nisita, C., see Perretta, P. (50) 215

Ohberg, A., Vuori, E., Klaukka, T. and Lonnqvist, J.
Antidepressants and suicide mortality (50) 225

Palego, L., see Marazziti, D. (50) 11
Papp, Zs., see Szádóczky, E. (50) 153
Pataki, C., see Strober, M. (50) 55
Paulus, M.P., see Judd, L.L. (50) 97

Perretta, P., Akiskal, H.S., Nisita, C., Lorenzetti, C., Zaccagnini, E., Della Santa, M. and Cassano, G.B.
The high prevalence of bipolar II and associated cyclothymic and hyperthymic temperaments in HIV-patients (50) 215
Pfuhlmann, B., Stöber, G., Franzek, E. and Beckmann, H.
Cycloid psychoses predominate in severe postpartum psychiatric disorders (50) 125
Platt, S., see Hawton, K. (50) 269

Räsänen, P., see Hakko, H. (50) 49
Rice, J., see Kato, T. (50) 135
Rice, J.A., see Judd, L.L. (50) 97
Ríhmer, Z., see Szádóczky, E. (50) 153
Rossi, A., see Marazziti, D. (50) 11
Rush, A.J., see Jenkins, C. (50) 17

Schou, M.
The effect of prophylactic lithium treatment on mortality and suicidal behavior: a review for clinicians (50) 253
Sechter, D., see Akiskal, H.S. (50) 175
Sechter, D., see Hantouche, E.G. (50) 163
Şekeroğlu, R., see Agargün, M.Y. (50) 29
Serra, P., see Marazziti, D. (50) 11
Simkin, S., see Hawton, K. (50) 269
Solomon, D., see Coryell, W. (50) 109
Solomon, D., see Winokur, G. (50) 81
Stöber, G., see Pfuhlmann, B. (50) 125
Strober, M., Pataki, C. and DeAntonio, M.
Complete remission of 'treatment resistant' severe melancholia in adolescents with phenelzine: Two case reports (50) 55
Subbakrishna, D.K., see Naga Venkatesha Murthy, P.J. (50) 45
Szádóczky, E., Papp, Zs., Vitrai, J., Ríhmer, Z. and Füredi, J.
The prevalence of major depressive and bipolar disorders in Hungary. Results from a national epidemiologic survey (50) 153

Tarakçioğlu, M., see Agargün, M.Y. (50) 29
Tiihonen, J., see Hakko, H. (50) 49
Tohen, M., see Kinney, D.K. (50) 117
Tramer, S., see Kinney, D.K. (50) 117
Tsuang, M.T.
George Winokur and "the natural history of mania, depression and schizophrenia" (50) 79
Turvey, C., see Coryell, W. (50) 109
Turvey, C., see Winokur, G. (50) 81

Uhlenhuth, E.H., see Edwards, S. (50) 65

Vitrai, J., see Szádóczky, E. (50) 153
Vuori, E., see Ohberg, A. (50) 225

Weizman, A., see Zemishlany, Z. (50) 3
Winokur, G., see Kato, T. (50) 135
Winokur, G., Turvey, C., Akiskal, H., Coryell, W., Solomon, D., Leon, A., Mueller, T., Endicott, J., Maser, J. and Keller, M.
Alcoholism and drug abuse in three groups — bipolar I, unipolars and their acquaintances (50) 81

Yurgelun-Todd, D.A., see Kinney, D.K. (50) 117

Zaccagnini, E., see Perretta, P. (50) 215
Zeller, P.J., see Judd, L.L. (50) 97
Zemishlany, Z., Aizenberg, D., Klein, C., Modai, I., Aronson, M. and Weizman, A.
Elevated adhesiveness/aggregation of peripheral blood leukocytes in patients with major depression (50) 3
Zvolsky, P., see Duffy, A. (50) 91

ELSEVIER

Journal of Affective Disorders 50 (1998) 303–305

JOURNAL OF AFFECTIVE DISORDERS

Subject index

Adolescent; Melancholia; Phenelzine; Treatment resistant **50,** 55

Affective disorder; Thyroid; Bipolar; Unipolar; Schizoaffective; Lithium **50,** 33

Affective temperaments; Mood disorders; Bipolar II; HIV **50,** 215

Age at onset; Bipolar disorder; Psychotic symptoms; Stability of diagnosis **50,** 41

Age of onset; Major depression; Bipolar disorder; Lifetime and period prevalence; DIS **50,** 153

Aging; Serotonin; Serotonin transporter; Human platelets; [^{3}H]-paroxetine binding; [^{3}H]-imipramine binding; Sex **50,** 11

Agoraphobia; Panic disorder; Depression; Patient perspective **50,** 65

Alcoholism; Bipolar disorder; Stimulant abuse; Family studies; Genetics **50,** 81

Alcoholism; Bipolar disorder; Genetics **50,** 91

Antidepressants; Leukocyte adhesiveness/aggregation; Major depression **50,** 3

Antidepressive agents; Suicide; Tricyclics; Serotonin reuptake inhibitors **50,** 225

Anti-epileptic drugs; Topiramate; Bipolar disorder; Mood stabilizer; Rapid cycling **50,** 245

Bipolar; Thyroid; Affective disorder; Unipolar; Schizoaffective; Lithium **50,** 33

Bipolar II; Social phobia; Inhibited temperament; Hypomania; Cyclothymia **50,** 203

Bipolar II; Mood disorders; Affective temperaments; HIV **50,** 215

Bipolar-II, affective temperaments; Major depression; Cyclothymia; Hypomania **50,** 163

Bipolar disorder; Psychotic symptoms; Age at onset; Stability of diagnosis **50,** 41

Bipolar disorder; Alcoholism; Stimulant abuse; Family studies; Genetics **50,** 81

Bipolar disorder; Alcoholism; Genetics **50,** 91

Bipolar disorder; Prenatal, perinatal; Risk factors; Obstetric complications; Mood disorder **50,** 117

Bipolar disorder; Genetics; Family study; Depression; Maternal inheritance; Genomic imprinting **50,** 135

Bipolar disorder; Major depression; Lifetime and period prevalence; Age of onset; DIS **50,** 153

Bipolar disorder; Topiramate; Mood stabilizer; Anti-epileptic drugs; Rapid cycling **50,** 245

Bipolar disorder – review; Molecular genetic linkage study; Multiple genes **50,** 287

Borderline personality disorder; Frontal lobe; Temporal lobe; Lateral ventricle; Brain MR **50,** 235

Brain MR; Frontal lobe; Temporal lobe; Lateral ventricle; Borderline personality disorder **50,** 235

Brief hypomania; Hypomania; Epidemiology; Comorbidity; Validity **50,** 143

Cholesterol; Panic disorder; Major depression **50,** 29

Cognitions; Cognitive therapy; Seasonal affective disorder **50,** 59

Cognitive therapy; Cognitions; Seasonal affective disorder **50,** 59

Comorbidity; Hypomania; Brief hypomania; Epidemiology; Validity **50,** 143

Cycloid psychoses; Postpartum psychoses; ICD-10; Leonhard classification; Motility psychosis **50,** 125

Cyclothymia; Major depression; Bipolar-II, affective temperaments; Hypomania **50,** 163

Cyclothymia; Social phobia; Inhibited temperament; Hypomania; Bipolar II **50,** 203

Death rates; Psychiatric patients; Record-linkage **50,** 277

Depression; Radiation; Oncology; Risk factors **50,** 17

Depression; Dysthymia; Melancholia; P300 event related potential; Yoga **50,** 45

Depression; Panic disorder; Agoraphobia; Patient perspective **50,** 65

Depression; Bipolar disorder; Genetics; Family study; Maternal inheritance; Genomic imprinting **50,** 135

Depression; Suicide mortality; Mood disorders; Lithium maintenance **50,** 261

S0165-0327(98)00165-7

DIS; Major depression; Bipolar disorder; Lifetime and period prevalence; Age of onset **50,** 153

Dysphoric mania; Mania; Mixed state; Gender; Temperament; Irritability **50,** 175

Dysthymia; Depression; Melancholia; P300 event related potential; Yoga **50,** 45

Epidemiology; Hypomania; Brief hypomania; Comorbidity; Validity **50,** 143

Family studies; Bipolar disorder; Alcoholism; Stimulant abuse; Genetics **50,** 81

Family study; Bipolar disorder; Genetics; Depression; Maternal inheritance; Genomic imprinting **50,** 135

Frontal lobe; Temporal lobe; Lateral ventricle; Brain MR; Borderline personality disorder **50,** 235

Gender; Mania; Mixed state; Dysphoric mania; Temperament; Irritability **50,** 175

Genetics; Bipolar disorder; Alcoholism; Stimulant abuse; Family studies **50,** 81

Genetics; Bipolar disorder; Alcoholism **50,** 91

Genetics; Bipolar disorder; Family study; Depression; Maternal inheritance; Genomic imprinting **50,** 135

Genomic imprinting; Bipolar disorder; Genetics; Family study; Depression; Maternal inheritance **50,** 135

HIV; Mood disorders; Bipolar II; Affective temperaments **50,** 215

Human platelets; Serotonin; Serotonin transporter; [^{3}H]-paroxetine binding; [^{3}H]-imipramine binding; Aging; Sex **50,** 11

Hypomania; Brief hypomania; Epidemiology; Comorbidity; Validity **50,** 143

Hypomania; Major depression; Bipolar-II, affective temperaments; Cyclothymia **50,** 163

Hypomania; Social phobia; Inhibited temperament; Cyclothymia; Bipolar II **50,** 203

ICD-10; Postpartum psychoses; Leonhard classification; Cycloid psychoses; Motility psychosis **50,** 125

[^{3}H]-imipramine binding; Serotonin; Serotonin transporter; Human platelets; [^{3}H]-paroxetine binding; Aging; Sex **50,** 11

Inhibited temperament; Social phobia; Hypomania; Cyclothymia; Bipolar II **50,** 203

Irritability; Mania; Mixed state; Dysphoric mania; Gender; Temperament **50,** 175

Lateral ventricle; Frontal lobe; Temporal lobe; Brain MR; Borderline personality disorder **50,** 235

Leonhard classification; Postpartum psychoses; ICD-10; Cycloid psychoses; Motility psychosis **50,** 125

Leukocyte adhesiveness/aggregation; Major depression; Antidepressants **50,** 3

Lifetime and period prevalence; Major depression; Bipolar disorder; Age of onset; DIS **50,** 153

Light therapy; Tryptophan; Seasonal affective disorder **50,** 23

Lithium; Thyroid; Affective disorder; Bipolar; Unipolar; Schizoaffective **50,** 33

Lithium maintenance; Suicide mortality; Mood disorders; Depression **50,** 261

Lithium prophylaxis; Mortality; Suicide attempts; Suicides **50,** 253

Major depression; Leukocyte adhesiveness/aggregation; Antidepressants **50,** 3

Major depression; Cholesterol; Panic disorder **50,** 29

Major depression; Bipolar disorder; Lifetime and period prevalence; Age of onset; DIS **50,** 153

Major depression; Bipolar-II, affective temperaments; Cyclothymia; Hypomania **50,** 163

Mania; Mixed state; Dysphoric mania; Gender; Temperament; Irritability **50,** 175

Mania; Signs and symptoms; Pure and mixed episodes; Rating instruments **50,** 187

Maternal inheritance; Bipolar disorder; Genetics; Family study; Depression; Genomic imprinting **50,** 135

MDE recovery; Residual symptoms; Rapid episode relapse **50,** 97

Melancholia; Depression; Dysthymia; P300 event related potential; Yoga **50,** 45

Melancholia; Adolescent; Phenelzine; Treatment resistant **50,** 55

Mixed state; Mania; Dysphoric mania; Gender; Temperament; Irritability **50,** 175

Molecular genetic linkage study; Bipolar disorder - review; Multiple genes **50,** 287

Mood disorder; Prenatal, perinatal; Bipolar disorder; Risk factors; Obstetric complications **50,** 117

Mood disorders; Bipolar II; Affective temperaments; HIV **50,** 215

Mood disorders; Suicide mortality; Depression; Lithium maintenance **50,** 261

Mood stabilizer; Topiramate; Bipolar disorder; Anti-epileptic drugs; Rapid cycling **50,** 245

Mortality; Lithium prophylaxis; Suicide attempts; Suicides **50,** 253

Motility psychosis; Postpartum psychoses; ICD-10; Leonhard classification; Cycloid psychoses **50,** 125

Multiple genes; Molecular genetic linkage study; Bipolar disorder - review **50,** 287

Nonviolent suicide; Seasonality; Secular trend; Violent suicide **50,** 49

Obstetric complications; Prenatal, perinatal; Bipolar disorder; Risk factors; Mood disorder **50,** 117

Oncology; Depression; Radiation; Risk factors **50,** 17

P300 event related potential; Depression; Dysthymia; Melancholia; Yoga **50,** 45

Panic disorder; Cholesterol; Major depression **50,** 29

Panic disorder; Agoraphobia; Depression; Patient perspective **50,** 65

[^{3}H]-paroxetine binding; Serotonin; Serotonin transporter; Human platelets; [^{3}H]-imipramine binding; Aging; Sex **50,** 11

Patient perspective; Panic disorder; Agoraphobia; Depression **50,** 65

Phenelzine; Adolescent; Melancholia; Treatment resistant **50,** 55

Postpartum psychoses; ICD-10; Leonhard classification; Cycloid psychoses; Motility psychosis **50,** 125

Prenatal, perinatal; Bipolar disorder; Risk factors; Obstetric complications; Mood disorder **50,** 117

Psychiatric patients; Death rates; Record-linkage **50,** 277

Psychological autopsy approach; Suicide **50,** 269

Psychotic symptoms; Bipolar disorder; Age at onset; Stability of diagnosis **50,** 41

Pure and mixed episodes; Signs and symptoms; Mania; Rating instruments **50,** 187

Radiation; Depression; Oncology; Risk factors **50,** 17

Rapid cycling; Topiramate; Bipolar disorder; Mood stabilizer; Anti-epileptic drugs **50,** 245

Rapid episode relapse; MDE recovery; Residual symptoms **50,** 97

Rating instruments; Signs and symptoms; Pure and mixed episodes; Mania **50,** 187

Record-linkage; Death rates; Psychiatric patients **50,** 277

Residual symptoms; MDE recovery; Rapid episode relapse **50,** 97

Risk factors; Depression; Radiation; Oncology **50,** 17

Risk factors; Prenatal, perinatal; Bipolar disorder; Obstetric complications; Mood disorder **50,** 117

Schizoaffective; Thyroid; Affective disorder; Bipolar; Unipolar; Lithium **50,** 33

Seasonal affective disorder; Light therapy; Tryptophan **50,** 23

Seasonal affective disorder; Cognitions; Cognitive therapy **50,** 59

Seasonality; Secular trend; Nonviolent suicide; Violent suicide **50,** 49

Secular trend; Seasonality; Nonviolent suicide; Violent suicide **50,** 49

Serotonin; Serotonin transporter; Human platelets; [^{3}H]-paroxetine binding; [^{3}H]-imipramine binding; Aging; Sex **50,** 11

Serotonin reuptake inhibitors; Suicide; Antidepressive agents; Tricyclics **50,** 225

Serotonin transporter; Serotonin; Human platelets; [^{3}H]-paroxetine binding; [^{3}H]-imipramine binding; Aging; Sex **50,** 11

Sex; Serotonin; Serotonin transporter; Human platelets; [^{3}H]-paroxetine binding; [^{3}H]-imipramine binding; Aging **50,** 11

Signs and symptoms; Pure and mixed episodes; Mania; Rating instruments **50,** 187

Social phobia; Inhibited temperament; Hypomania; Cyclothymia; Bipolar II **50,** 203

Stability of diagnosis; Bipolar disorder; Psychotic symptoms; Age at onset **50,** 41

Stimulant abuse; Bipolar disorder; Alcoholism; Family studies; Genetics **50,** 81

Suicide; Antidepressive agents; Tricyclics; Serotonin reuptake inhibitors **50,** 225

Suicide; Psychological autopsy approach **50,** 269

Suicide attempts; Lithium prophylaxis; Mortality; Suicides **50,** 253

Suicide mortality; Mood disorders; Depression; Lithium maintenance **50,** 261

Suicides; Lithium prophylaxis; Mortality; Suicide attempts **50,** 253

Temperament; Mania; Mixed state; Dysphoric mania; Gender; Irritability **50,** 175

Temporal lobe; Frontal lobe; Lateral ventricle; Brain MR; Borderline personality disorder **50,** 235

Thyroid; Affective disorder; Bipolar; Unipolar; Schizoaffective; Lithium **50,** 33

Topiramate; Bipolar disorder; Mood stabilizer; Anti-epileptic drugs; Rapid cycling **50,** 245

Treatment resistant; Adolescent; Melancholia; Phenelzine **50,** 55

Tricyclics; Suicide; Antidepressive agents; Serotonin reuptake inhibitors **50,** 225

Tryptophan; Light therapy; Seasonal affective disorder **50,** 23

Unipolar; Thyroid; Affective disorder; Bipolar; Schizoaffective; Lithium **50,** 33

Validity; Hypomania; Brief hypomania; Epidemiology; Comorbidity **50,** 143

Violent suicide; Seasonality; Secular trend; Nonviolent suicide **50,** 49

Yoga; Depression; Dysthymia; Melancholia; P300 event related potential **50,** 45